



DOT-R 4.0 WALL WASHER

5 YEAR
limited
led warranty



PERFORMANCE

- CRI > 90



COMPATIBLE CONTROLS

ATHENA
WIRELESS NODE by
LUTRON




B consult
factory

CERTIFICATIONS & COMPLIANCE



DIMENSIONS



Catalog Number Example

DOT-R4.0-RTR-WHWH-WW-30K-C90-UNV-010V-1500LM-15W-FBI



A RANGE

DOT-R 4.0 DOT - R 4 . 0

B MOUNTING

Recessed with trim R T R

C HOUSING COLOR

White WH _ _

Black BL _ _

Custom RAL X X _ _

custom RAL, please contact BASO

BEZEL COLOR

White _ _ WH

Black _ _ BL

Custom RAL _ _ X X

custom RAL, please contact BASO

D LENS

Asymmetric wall washer WW

E CCT

2700 K 2 7 K

3000 K 3 0 K

3500 K 3 5 K

4000 K 4 0 K

Tunable White (TW) TW

F CRI

CRI > 90 C 9 0

G VOLTAGE

120V / 277V UNV

H DIMMING

0-10V 1% dimming 0 1 0 V

DALI D A L I

Lutron Digital Dim L T D

Phase (120V only) P H

Custom dimming consult factory

I CONTROLS

Lutron Athena L U T A

nLight N L T

Custom Controls consult factory

J OUTPUT

1000lm 10W 1 0 0 0 - 1 0 W

1500lm 15W 1 5 0 0 - 1 5 W

2000lm 20W 2 0 0 0 - 2 0 W

K HOUSING TYPE

From Below Install F B I

T-Rod/non IC-rated T R - N I C

T-Rod / IC-rated T R - I C R

Chicago Plenum
(CCEA) T R - C C E A


Remote Housing R E M

BASO
basolighting.com


DOT-R 4.0 Wall Washer



From Below Install (FBI)



non-IC rated Housing




DOT-R mounting instructions


Get access to the DOT-R mounting instructions faster by scanning the QR code.
<https://www.basolighting.com/resources/mounting-instructions/dot-r>



IC rated Housing



Remote Housing



DOT-R mounting instructions

Get access to the DOT-R mounting instructions faster by scanning the QR code.
<https://www.basolighting.com/resources/mounting-instructions/dot-r>

