


CERTIFICATIONS & COMPLIANCE



FEATURES

5 YEAR
limited
led warranty

CONFIGURATIONS



R1 Track 1" Inset R2 Track 1" Inset R2 Track 2" Inset R3 Track 1" Inset

REFLECTOR COLOR



Black White Chrome Bronze

ADAPTER COLORS



Black White

Catalog Number Example

RLINS-LOUVER-1-BMBL-35K-C90-48V-010V-100LL-2.0W-4CE

A B C D E F G H I J

A SYSTEM

R-LINE RLINS

B PRODUCT

Louver shallow inset LOUVER

C INSET HEIGHT

1" Inset flush with R1/R3 track 1
2" Inset available in Q1 2024 2

D REFLECTOR COLOR

Black Matte BM __
Black Gloss BG __
White Matte WM __
White Gloss WG __
Chrome CH __
Bronze Gloss BZ __

E ADAPTER COLOR

Black __ BL
White __ WH

recommendation: adapter & track color should match

F CCT/CRI

2700K /CRI>90 2 7 K - C 9 0
3000K /CRI>90 3 0 K - C 9 0
3500K /CRI>90 3 5 K - C 9 0
4000K /CRI >90 4 0 K - C 9 0

G VOLTAGE

48V low constant voltage 4 8 V
remote driver required (see driver cutsheet)

H DIMMING

0-10V 1% dimming 0 1 0 V

I CIRCUIT

1 or 2 Circuit *
*leave blank

J OUTPUT

100 lm/louver 1 0 0 L L - 2.0W L
2.0W/louver

K CELLS

1-Cell 100lm / 2.0w 1 C E
2-Cell 200lm / 4.0w 2 C E
4-Cell 400lm / 6.0w 4 C E

Other Options

+ LINEAR OPAL

see R-Line Linear Opal cutsheet

+ CURVE OPAL

see R-Line Curve Opal cutsheet

+ SPOT

see R-Line Spot cutsheet

LOUVER LENS

| | LOR | LUMEN MULTIPLIER | LUMEN PER LOUVER | LUMEN PER WATT |
|---------------------|------|------------------|------------------|----------------|
| LOUVER Matte White | 67.3 | 1 | 100 lm/L | 49-71 lm/W |
| LOUVER Glossy White | 65.5 | 0.97 | 97 lm/L | 49-71 lm/W |
| LOUVER Matte Black | 49.4 | 0.73 | 73lm/L | 49-71 lm/W |
| LOUVER Glossy Black | 49.1 | 0.73 | 73lm/L | 49-71 lm/W |
| LOUVER Chrome | 65.4 | 0.97 | 97 lm/L | 49-71 lm/W |
| LOUVER Bronze | 65.4 | 0.97 | 97 lm/L | 49-71 lm/W |

Multiplier for direct lens ONLY

DIMENSIONS

